

Watershed Conditions and Seasonal Variability for Select Streams within WRIA 20, Olympic Peninsula, Washington

Washington Investigations Project Pacific Northwest Region



Draft



U.S. Department of the Interior Bureau of Reclamation Technical Services Center Denver, Colorado

Mission Statements

The mission of the Department of the Interior is to protect and provide access to our Nation's natural and cultural heritage and honor our trust responsibilities to Indian Tribes and our commitments to island communities.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Watershed Conditions and Seasonal Variability for Select Streams within WRIA 20, Olympic Peninsula, Washington

Washington Investigations Project Pacific Northwest Region

prepared by

Technical Service Center

Water Resources Services Amy Lieb, Hydrologist Thomas Perry, Hydrologist

Draft



U.S. Department of the Interior Bureau of Reclamation Technical Services Center Denver, Colorado

Contents

Introduction	1
Study Area	3
Watershed Conditions and Flow Evaluations	5
Hoh River watershed	7
Streamflow Evaluations of the Hoh River	. 10
South Fork Hoh River at River Mile 3.6	. 13
South Fork Hoh River at the Outlet	. 14
Hoh River above the South Fork Hoh River confluence	. 15
Hoh River near Forks (at USGS Gage 12041000)	. 16
Hoh River at U.S. Highway 101 (at USGS Gage 12041200)	
Hoh River at the Outlet	
Quillayute River watershed	. 19
Bogachiel River watershed	
Streamflow Evaluations of the Bogachiel River	
Bogachiel River at River Mile 22.0	. 27
Bogachiel River near Forks (at USGS Gage 12042800)	
Bogachiel River above the Calawah River confluence	. 29
Bogachiel River at the Outlet	. 30
Calawah River watershed	
Streamflow Evaluations of the Calawah River	. 35
South Fork Calawah River above Sitkum River	. 38
Sitkum River at the Outlet	. 39
South Fork Calawah River at the Outlet	. 40
North Fork Calawah River at the Outlet	. 41
Calawah River near Forks (at USGS gage 12043000)	. 42
Calawah River at the Outlet	. 43
Soleduck River watershed	. 44
Streamflow Evaluations of the Soleduck River	. 50
North Fork Soleduck River at the Outlet	. 55
Soleduck River above North Fork Soleduck River	. 56
Soleduck River near Fairholm (at USGS gage 12041500)	. 57
Soleduck River near Beaver Creek (at USGS gage 12042000)	
Soleduck River below Lake Creek	
Soleduck River near Quillayute (at USGS gage 12042500)	. 60
Soleduck River at the Outlet	. 62
Dickey River watershed	. 63
Streamflow Evaluations of the Dickey River	. 66
East Fork Dickey River at the Outlet (at USGS gage 12043080)	68
West Fork Dickey River at the Outlet	. 71
Dickey River near La Push (at USGS gage 12043100)	. 72
Dickey River at the Outlet	

i

Quillayute River watershed	75
Quillayute River below Soleduck and Bogachiel River conflu	ence
	76
Quillayute River below Dickey River or at the Outlet	77
Ozette River watershed	
Streamflow Evaluations of the Ozette River	81
Big River at 27E Big River Bridge	85
Umbrella Creek at Hoko-Ozette Rd Bridge	
Ozette River below Coal Creek	
Ozette River at the Pacific Ocean Outlet	91
Sooes River watershed	92
Streamflow Evaluations of the Sooes River	
Sooes River below Miller Creek (at USGS gage 12043163)	
Sooes River below the Makah Fish Hatchery	
Summary	
References	
Appendix 1: Methodology used to evaluate streamflow in WRIA 20	
Appendix 2: Natural Streamflow synthesis for Ozette River	
Appendix 3: Flow histories and streamflow variability for selected streams	
Hoh River watershed	
Quillayute River watershed	
Bogachiel River watershed	
Calawah River watershed	
Soleduck River watershed	
Dickey River watershed	
Quillayute River Watershed.	
Ozette River watershed	
Sooes River watershed	
Sodes River watershed	230
Tables	
Table 1. Land administration areas within the Hoh River watershed	8
Table 2. Watershed characteristics of areas within the Hoh River watershed	
Table 3. Watershed characteristics within each portion of the Hoh River	10
watershed	12
Table 4. Average Annual Precipitation for each portion of the Hoh River	12
watershed	12
Table 5. Percent of time that average monthly streamflow (cfs) would be less	
or equal to the value for each month in the South Fork Hoh River at RM	
Table 6. Percent of time that average monthly streamflow (cfs) would be les	
than or equal to the indicated value for each month at the outlet of the So	
Fork Hoh River	
- VV-1 VI	1

Table 7. Percent of time that average monthly streamflow (cfs) would be less than or equal to the indicated value for each month at the Hoh River above the
outlet of the South Fork Hoh River
Table 8. Percent of time that average monthly streamflow (cfs) would be less
than or equal to the indicated value for each month at the Hoh River near
Forks
Table 9. Percent of time that average monthly streamflow (cfs) would be less than
or equal to the indicated value for each month at the Hoh River at U.S. Hwy
101
Table 10. Percent of time that average monthly streamflow (cfs) would be less
than or equal to the indicated value for each month at the Hoh River at the
outlet
Table 11. Land Administration within the Bogachiel River watershed
Table 12. Age class descriptions of part of the timber located in the Late-
successional Reserve area within the Bogachiel River watershed
Table 13. Watershed characteristics of the Bogachiel River watershed
Table 14. Watershed characteristics within each portion of the Bogachiel River
watershed
Table 15. Average annual precipitation of each portion of the Bogachiel River
watershed
Table 16. Percent of time that average monthly streamflow (cfs) would be less
than or equal to the indicated value for each month in the Bogachiel River at
River Mile 22.0
Table 17. The percent of time that average monthly streamflow (cfs) is less than
or equal to the indicated value for each month at the Bogachiel River near
Forks
Table 18. The percent of time that average monthly streamflow (cfs) is less than
or equal to the indicated value for each month at the Bogachiel River above
the Calawah River confluence.
Table 19. The percent of time that average monthly streamflow (cfs) is less than
or equal to the indicated value for each month at the Bogachiel River at the
-
outlet
Table 21. Age class descriptions of part of the timber located above the North
Fork and South Fork Confluence within the Calawah River watershed 33
Table 22. Watershed Characteristics of Areas within the Calawah River
watershed
Table 23. Watershed characteristics within each portion of the Calawah River
watershed
Table 24. Average annual precipitation for each portion of the Calawah River
watershed
Table 25. The percent of time that average monthly streamflow (cfs) is less than
or equal to the indicated value for each month at the SF Calawah River above
the Sitkum River

Watershed Conditions and Seasonal Variability for Select Streams within WRIA 20

Table 26. The percent of time that average monthly streamflow (cfs) is less than or equal to the indicated value for each month in the Sitkum River at the
outlet
Table 28. The percent of time that average monthly streamflow (cfs) in the North Fork Calawah River at the outlet is less than or equal to the indicated value.
Table 29. The percent of time that average monthly streamflow (cfs) in the Calawah River at the Forks gage is less than or equal to the indicated value.
Table 30. The percent of time that average monthly streamflow (cfs) in the Calawah River at the outlet is less than or equal to the indicated value
Table 33. Watershed characteristics of areas within the Soleduck River watershed.
Table 34. Estimated* age class descriptions of the timber on all lands upstream of USGS gaging station 12041500, Soleduck River near Fairholm (ONF, 2000).
Table 35. Watershed characteristics within each portion within the Soleduck River watershed
Table 38. The percent of time that average monthly streamflow (cfs) in the Soleduck River above the outlet of the North Fork Soleduck River is less than or equal to the indicated value. Table 39. The percent of time that average monthly streamflow (cfs) in the Soleduck River at the Fairholm gage is less than or equal to the indicated value.
Table 40. The percent of time that average monthly streamflow (cfs) in the Soleduck River near Beaver Creek is less than or equal to the indicated value.
Table 41. The percent of time that average monthly streamflow (cfs) in the Soleduck River below Lake Creek is less than or equal to the indicated value.
Table 42. The percent of time that average monthly streamflow (cfs) in the Soleduck River near Quillayute is less than or equal to the indicated value. 61 Table 43. The percent of time that average monthly streamflow (cfs) in the Soleduck River at the outlet is less than or equal to the indicated value 62
Table 44. Land Administration of the Dickey River watershed

	Watershed Characteristics within the Dickey River watershed 65
Table 46.	Watershed characteristics within each portion of the Dickey River
	shed
	Average annual precipitation of each portion within the Dickey River
water	shed
	Methods used to develop final synthetic period of record for the East
	Dickey River (at USGS gage #12043080)
	The percent of time that average monthly streamflow (cfs) at the outlet
	East Fork Dickey River is less than or equal to the indicated value 70
	The percent of time that average monthly streamflow (cfs) at the outlet
	West Fork Dickey River is less than or equal to the indicated value 71
	Methods used to develop final synthetic period of record for the
	ey River near La Push (at USGS gage #12043100)72
	The percent of time that average monthly streamflow (cfs) in the
	by River near La Push is less than or equal to the indicated value 73
	The percent of time that average monthly streamflow (cfs) at the outlet
	Dickey River is less than or equal to the indicated value
	Land administration within the Quillayute River watershed
	The percent of time that average monthly streamflow (cfs) at the top of
_	uillayute River is less than or equal to the indicated value
	The percent of time that average monthly streamflow (cfs) at the
	ayute River below Dickey River is less than or equal to the indicated
	Land administration within the Ozette River watershed
Table 58.	Watershed characteristics of areas within the Ozette River watershed.
	Watershed characteristics within each portion of the Ozette River
	shed
	Average annual precipitation of each portion within the Ozette River
	shed
	The percent of time that average monthly streamflow (cfs) in Big River
	27E Big River Bridge is less than or equal to the indicated value 86
	Methods used to develop final synthetic period of record for Umbrella
	at the Hoko-Ozette Rd Bridge (at the Makah streamflow gage) 88
	The percent of time that average monthly streamflow (cfs) in Umbrella
	at the Hoko-Ozette Rd Bridge is less than or equal to the indicated
	The percent of time that average monthly streamflow (cfs) at the Ozette
	below Coal Creek is less than or equal to the indicated value90
	The percent of time that average monthly streamflow (cfs) at the ocean
	of the Ozette River is less than or equal to the indicated value
	Watershed characteristics of areas within the Sooes River watershed.93
	Land Administration of the Sooes River watershed
	Watershed characteristics within each portion of the Sooes River
water	shed96

	Average annual precipitation of each portion within the Sooes Rive	
	The percent of time that average monthly streamflow (cfs) in the So	
	below Miller Creek is less than or equal to the indicated value	
	The percent of time that average monthly streamflow (cfs) in the So	
	below the Makah Fish Hatchery is less than or equal to the indicate	
Figures	S	
Figure 1.	Map of WRIA 20	3
Figure 2.	Select gaged and ungaged sites where streamflow was evaluated wi	thin
	. 20	
Figure 3. 1	Location map of Hoh River watershed within WRIA 20	7
Figure 4. L	and administration within the Hoh River watershed	8
	Watershed characteristic types within the Hoh River watershed	
Figure 6.	Flow evaluation sites and contributing watersheds within the Hoh F	River
	hed	
Figure 7. 1	Location of Quillayute River watershed within WRIA 20	19
_	Major watersheds within the Quillayute River watershed	
	Location of Bogachiel River watershed within WRIA 20	
	Land Administration within the Bogachiel River watershed	22
•	Watershed characteristics of areas within the Bogachiel River	
	hed	
_	Flow evaluation sites within the Bogachiel River watershed	
_	Location of Calawah River watershed.	
-	Land Administration within the Calawah River watershed	
_	Watershed Characteristics of the Calawah River watershed	
•	Locations within the Calawah River watershed where natural flow	
	leveloped	
	Location of Soleduck River watershed within WRIA 20	
	Land Administration within the upper Soleduck River watershed.	
-	Land Administration within the lower Soleduck River watershed.	
_	Watershed Characteristics of the Soleduck River watershed	
-	Locations within the upper Soleduck River watershed where natur	
	were developedLocations within the lower Soleduck River watershed where natur	
	were developed	
	Location of Dickey River watershed within WRIA 20	
_	Land Administration of the Dickey River watershed	
-	Watershed Characteristics within the Dickey River watershed	
-	Flow evaluation sites within the Dickey River watershed	
-	Land administration within the Quillayute River watershed	
-	Location of Ozette River watershed.	
	Land Administration within the Ozette River watershed.	

Contents

Figure 30. `	Watershed Characteristics of the Ozette River watershed	80
Figure 31.	Locations within the Ozette River watershed where natural fl	lows were
develop	oed	82
Figure 32.	Location of Sooes River watershed within WRIA 20	92
Figure 33.	Watershed characteristics of areas within the Sooes River wa	itershed.
		93
Figure 34.	Land administration of the Sooes River watershed	94
Figure 35.	Locations within the Sooes River watershed where natural flo	ows were
develop	oed	95